

RECEIVED  
CENTRAL FAX CENTER

OCT 24 2006

## 1 STATUS OF CLAIMS

2  
3 Claims 1-16 (cancelled).4 17. [previously presented] An electronically controlled method of selecting and  
5 copying selected information segments from an input series of information segments so  
6 as to create an output sequence constituting a new information body, comprising the  
7 steps of:8 (a) utilizing an electronic apparatus to establish a transfer location into which all  
9 of the information segments are to pass in sequence;10 (b) utilizing the electronic apparatus to set a dwell time for each of the successive  
11 information segments to pause in the transfer location;12 (c) moving the input series of information segments into and through the transfer  
13 location and visibly displaying each information segment in the transfer location during  
14 that dwell time;15 (d) as the information segments occupy the transfer location, copying selected  
16 ones of them into the output sequence;17 (e) at the end of each dwell time interval, allowing the next succeeding  
18 information segment in the input series to enter the transfer location;19 (f) after such movement of the input series, from time to time manually controlling  
20 the apparatus to select a different dwell time; and21 (g) after the change in setting of the dwell time, again moving the input series into  
22 and through the transfer location so that during such further passage of the input  
23 information segments the time available to the operator for deciding upon each  
24 prospective transfer is the thus-modified dwell time.

Arant; SN 09/397,325

18. [Previously presented] The method of Claim 17 wherein the information segments in the input sequence are also visibly displayed as they are approaching the transfer location.

19. [Previously presented] The method of Claim 17 wherein each information segment is an alphanumeric character.

20. [Previously presented] The method of Claim 18 wherein each information segment is an alphanumeric character.

21. [Previously presented] The method of Claim 17 wherein after the change in setting of the dwell time the input sequence is repetitively moved into and through the transfer location.

22. [Previously presented] The method of Claim 21 wherein the information segments are also visibly displayed as they approach the transfer location.

23. [Previously presented] The method of Claim 21 wherein each information segment is an alphanumeric character.

Claims 24-31 (cancelled).

Arant; SN 09/397,325

32. [Previously presented] In the art of electronically copying selected information elements to create a new information body, a method of optimally coordinating the eye, hand, and thought actions of an operator, comprising the steps of:

electronically advancing a sequence of information elements at a controlled speed into a known transfer location while visibly displaying each of them there during a dwell time to permit the operator to decide whether to select it for manually directed copying into an output sequence;

after a plurality of the elements have been thus displayed at the transfer location, manually adjusting the speed of the further advance of the information elements and hence the dwell time; and

after that adjustment, again advancing the sequence through the same transfer location so as to visibly display additional information elements during a thus-adjusted dwell time in order to make each of them available to be manually selected for copying.

33. [Previously presented] In the art of electronically copying selected information elements to create a new information body, a method of optimally coordinating the eye, hand, and thought actions of an operator, comprising the steps of:

electronically advancing a sequence of information elements at controlled speed in an even step-wise fashion into a fixed transfer location while visibly displaying each of them there during a dwell time to permit the operator to decide whether to select it for manually directed copying into an output sequence; and

from time to time manually adjusting the speed of advance of the sequence of information elements and hence the dwell time for display of each information element.

34. [Previously presented] The method of Claim 33 wherein the same sequence of information elements is repetitively advanced through the same transfer location.